	Application No.	Applicant(s)
Notice of Allowability	10/600,620	MURAKAMI, TOMOCHIKA
	Examiner	Art Unit
	Seyed Azarian	2624
·	Seyeu Azarian	2024
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>11/22/2006</u> .		
2. ☑ The allowed claim(s) is/are <u>1-15</u> .		
3.		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
·		
		•
Attachment(s)	5 Distinct of Information	Data at Amaliantian
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	(P10-413), ite .
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ☐ Examiner's Amend	ment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.	.*
•		

Application/Control Number: 10/600,620

Art Unit: 2624

REASONS FOR ALLOWANCE

1. Based on applicant's amendment, filed 11/22/2006, see page 8 and 9, of the remarks, with respect to amended claims 12 and 14 have been fully considered and are persuasive and upon further consideration, the 35 U.S.C. 101art rejection for claims 12 and 14 and double patenting rejection for claims 1-15, is hereby withdrawn.

- 2. Claims 1-15 are allowable.
- 3. The following is an examiner's statement of reasons for allowance.

Claims 1, 9, 10, 11, 12 and 14, the sole independent claims, are directed to an image processing apparatus and method which perform conversion for degrading the image quality and inversion for removing the image quality degradation for digital image data of a still or moving image in order to protect the copyright of the image.

With respect to claim 1, representing claims 9-12 and 14, set forth features in particular that are not taught by the prior art, the closest prior art of (Japanese patent No. EP0725529 A2) does not disclose or suggest, among other things, "for inputting, as the additional information for a predetermined pixel region unit, information representing which of the first and second visible intensities is used for multiplexing, determining on the basis of the additional information which of the first and second visible intensities is used for multiplexing in a pixel region of interest in multilevel image data".

These key features in combination with all of the other features of the claimed invention are neither taught nor suggested by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2624

Contact Information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Seyed Azarian whose telephone number is (571) 272-7443. The examiner can normally be reached on Monday through Thursday from 6:00 a.m. to 7:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Bella, can be reached at (571) 272-7778. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application information Retrieval (PAIR) system. Status information for published application may be obtained from either Private PAIR or Public PAIR.

Status information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Seyed Azarian Patent Examiner Group Art Unit 2624 January 14, 2007

MATTHEW C. BELLA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

Marker (Bella